



Cloverdale Paint

PRODUCT CATALOGUE

FOR AUTHORIZED DEALERS

Proudly Canadian Owned & Operated  Made in Canada Matters



TABLE OF CONTENTS

	Interior Finishes	4
	Specialty Finishes	6
	Ceiling Products	8
	Primers & Sealers	9
	Fire Retardant Coatings	13
	Exterior Finishes	14
	Exterior Stains	15
	Concrete Finishes	16
	Concrete Sealers	17
	Varnishes & Clearcoats	18
	Zone & Line Marking	20
	Thinners & Reducers	21
	Colourants	22

Looking for Sundries and Equipment?

Please speak with your Cloverdale Paint Representative about these important product categories to suit your business.



INTERIOR FINISHES



ecologic®

The Logical Environmental Choice

An ultra low VOC interior / exterior high performance architectural coating. Ideal for use in high traffic residential and commercial applications where the most durable, ultra low VOC finishes are needed such as schools, hospitals, institutional and light industrial applications.

* Interior / Exterior

	"FLAT"	"EGGSHELL"	"PEARL"	"LOW-GLOSS"	"SEMI-GLOSS"	"GLOSS"
GLOSS LEVEL	1	2	3	4	5	6
CODE	7066-Series	7069-Series*	7065-Series*	7068-Series*	7062-Series*	7060-Series*
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL BLACK	WHITE DEEP NEUTRAL
GALLON	●	●	●	●	●	●
QUART	●	●	●	●	●	●
PAIL	●	●	●	●	●	●
MPI	143	138, 144	139, 145, 151, 161, 315	140, 146	141, 147, 153, 163, 311	114, 119, 154, 164



GUARDIAN® Plus

An anti-scuff 100% acrylic interior latex that offers best in class performance with exceptional stain resistance, scrub, marr, burnish, and scuff resistance for a long lasting robust finish. This product is low VOC and ideal for schools, hospitals, institutions, hospitality and residential projects where a low odour, extremely durable finish is required.

	"FLAT"	"EGGSHELL"	"PEARL"	"SEMI-GLOSS"
GLOSS LEVEL	1	2	3	5
CODE	4607-Series	4609-Series	4605-Series	4602-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●	●	●
PAIL	●	●	●	●
MPI	143	138, 144	139, 145, 151	141, 147, 153



Super II®

A 100% Acrylic Interior Latex high performance finish for institutional, commercial and residential applications. It is ideal for new housing construction and repaint projects where improved washability is required and it's slightly lower "velvet-like" eggshell sheen offers "best in class" touch up characteristics.

	"EGGSHELL"	"SEMI-GLOSS"
GLOSS LEVEL	2	5
CODE	4305-Series	4405-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●
QUART	●	●
PAIL	●	●
MPI	138	141

INTERIOR FINISHES



PremiumClassic HIGH PERFORMANCE

A super premium 100% acrylic interior wall finish offering better washability and stain resistance compared to conventional interior latex coatings. This product is ideal for use on all interior walls and trim including drywall, plaster, masonry and primed wood where a higher performance level is desired.

	"MATTE"	"EGGSHELL"	"PEARL"	"SEMI-GLOSS"
GLOSS LEVEL	1	2	3	5
CODE	0397-Series	0399-Series	0395 - Series	0392 - Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●	●	●
PAIL	●	●	●	●
MPI	142	138	139	141



PremiumClassic

A premium quality finish for use on all interior surfaces including drywall, plaster, masonry and primed wood. This product is formulated to meet regular washability and durability requirements of most common residential and commercial interior environments. It exceeds the hiding and application performance of regular premium contractor lines and is one of Cloverdale Paint's most often selected coatings by professional painters and DIYers alike.

	"FLAT"	"EGGSHELL"	"PEARL"	"SEMI-GLOSS"
GLOSS LEVEL	1	2	3	5
CODE	0312-Series	0324-Series	0382-Series	0112-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE
GALLON	●	●	●	●
QUART	●	●	●	●
PAIL	●	●	●	●
MPI	53	44	52	54



Master Painter

An interior latex finish formulated specifically for the professional painting contractor. This product offers high quality characteristics at a value price, it is ideally suited for new construction and commercial repaint applications where industry approvals are required.

	"FLAT"	"EGGSHELL"	"SEMI-GLOSS"
GLOSS LEVEL	1	2	5
CODE	03760	0325-Series	01120
TINT BASES	WHITE	WHITE DEEP	WHITE
GALLON	●	●	●
PAIL	●	●	●
MPI	53	44	54



Canadian Builder

An economical product designed for use on all interior walls including drywall, plaster, masonry and primed wood. This product has excellent hiding, flow and leveling and is ideal for use in new construction and multi-family markets.

	"FLAT"	"EGGSHELL"	"SEMI-GLOSS"
GLOSS LEVEL	1	2	5
CODE	03770	03260	01163
TINT BASES	WHITE	WHITE	WHITE
GALLON	●	●	●
PAIL	●	●	●



SPECIALTY FINISHES



MultiMaster

A Waterborne DTM Acrylic Urethane designed for both interior and exterior applications. Formulated with Variable Substrate Technology (VST), it is a self priming, exceptionally hard-wearing finish for both Commercial and DIY applications.

* Interior / Exterior

	"SATIN"	"SEMI-GLOSS"
GLOSS LEVEL	3	5
CODE	7145-Series	7142-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●
QUART	●	●
PAIL	●	●
MPI	161	163



PROFESSIONAL FINISHES

Pre-Catalyzed WB Epoxy

A high performance, single component pre-catalyzed acrylic epoxy coatings for interior walls and trim. This product offers premium adhesion properties for multiple surfaces with excellent durability and abrasion, stain and chemical resistance.

	"PEARL"	"SEMI-GLOSS"
GLOSS LEVEL	3	5
CODE	77853	77823
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●
PAIL	●	●
MPI	139, 151	141, 153



Renaissance

A premium quality interior / exterior hybrid waterborne alkyd enamel that provides the toughness and durability of oil-based paints in a low VOC, water-based formulation. This product offers excellent water and abrasion resistance to withstand repeated scrubbing and wear and tear.

* Interior / Exterior

	"LOW GLOSS"	"SEMI-GLOSS"
GLOSS LEVEL	4	5
CODE	0345-Series	0311-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●
QUART	●	●
PAIL	●	●
MPI	168	169

SPECIALTY FINISHES



KITCHEN & BATH

A 100% acrylic latex coating designed specifically for areas exposed to interior moisture and high humidity. This product offers a significantly higher level of performance than conventional latex paints in the areas of scrub resistance, burnish resistance, ease of stain removal and resistance to mildew.

	"PEARL"	"SEMI-GLOSS"
GLOSS LEVEL	3	5
CODE	0362-Series	0365-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●
QUART	●	●
MPI	139	141



ecologic[®] ColourCoat

EcoLogic[®] ColourCoat bases are high performance waterborne coatings specifically formulated in three rich coloured bases to produce more saturated accent colours for Commercial and Residential applications.

* Interior / Exterior

	"EGGSHELL"	"SEMI-GLOSS"
GLOSS LEVEL	2	5
CODE	7063-Series*	7064-Series*
TINT BASES	YELLOW RED BLUE	YELLOW RED BLUE
GALLON	●	●
QUART	●	●
PAIL	●	●
MPI	139, 151, 161	153, 163



COLOUR TESTER QUARTS

A great way for customers to 'test drive' their colours before committing to the final wall colour. An eggshell-like medium sheen finish that can be tinted to any of our 'standard' colours from our various colour systems, including Colorizer and Artisan[®].

GLOSS LEVEL	2 "EGGSHELL"
CODE	0300 - Series
TINT BASES	WHITE DEEP NEUTRAL

CEILING PRODUCTS



Premium Classic Ceiling Latex

A high hide latex emulsion designed for previously painted textured ceilings or new and previously painted smooth ceilings where a dead flat sheen with high light reflection is required. It is formulated to conceal surface imperfections and to reduce roller spatter during application.

GLOSS LEVEL	1 "FLAT"
CODE	03360
TINT BASES	WHITE
GALLON	●
QUART	●
PAIL	●
MPI	



Master Painter

Alkyd Calcimine Recoater

A professional interior oil base wall finish for use on all interior walls and ceilings including drywall, plaster, masonry, and primed wood. The rich, flat finish reduces the appearance of physical surface imperfections. Ideally suited for textured walls and ceilings.

	"FLAT"
GLOSS LEVEL	1
CODE	13163
TINT BASES	OFF WHITE
GALLON	●
PAIL	●
MPI	49



Latex Dryfall Ceiling Paint

A low VOC, fast dry, water-based pure acrylic for use on ceilings of commercial or industrial buildings. This product has excellent light reflectance, contains a flash rust inhibitor and adheres very well to most properly prepared surfaces. During normal drying conditions, overspray which has fallen more than 14 feet can be swept up easily.

	"FLAT"	"SEMI-GLOSS"
GLOSS LEVEL	1	5
CODE	05137, 38	05135
BASES	WHITE (37) BLACK (38)	WHITE
PAIL	●	●
MPI	118, 133	158



Q.D. Texture Undercoat

A quick drying, high build product designed as an undercoat for use on new textured drywall ceilings and walls. This product has very high hiding properties and provides an excellent base for the application of textured materials.

	"FLAT"
GLOSS LEVEL	1
CODE	03755
BASES	WHITE
PAIL	●

DRYWALL PRIMERS & SEALERS



Level 5 Wall Prep

An interior heavy bodied thixotropic flat vinyl acrylic primer designed for high production airless spraying of interior wall surfaces to achieve a 'Level 5' Gypsum Board Finish. When properly applied, this product will bring gypsum walls and ceilings from a 'Level 4' finish to a 'Level 5' finish, eliminating the need for a full skim coat of joint compound.

GLOSS LEVEL	1 "FLAT"
CODE	532516
TINT BASES	WHITE
PAIL	●



PremiumClassic Latex Drywall Sealer

A superior performing, high hiding, vinyl-acrylic latex primer/sealer for use on new drywall, interior masonry surfaces and to prime patching compounds used with wall repairs prior to painting. This product offers superior "hold out" compared to generic drywall primers.

NOTE: Can be tinted to one-half strength to approximately match finish coat colour.

GLOSS LEVEL	1 "FLAT"
CODE	05250
TINT BASES	WHITE
GALLON	●
QUART	●
PAIL	●
MPI	50, 149



Master Painter

Interior Latex Drywall Primer

A professional interior drywall primer / undercoat for use on new drywall, interior masonry surfaces and to prime patching compounds used with wall repairs prior to painting. This product is formulated to provide a combination of good hiding and sanding characteristics at a value price where industry approvals are required.

GLOSS LEVEL	"FLAT"
CODE	05720
TINT BASES	OFF WHITE
GALLON	●
PAIL	●
MPI	50



Canadian Builder

Interior Latex Drywall Primer

A professional interior drywall primer / undercoat for use on new drywall, interior masonry surfaces and to prime patching compounds used with wall repairs prior to painting. This product is formulated to provide a combination of good hiding and sanding characteristics at a value price.

GLOSS LEVEL	"FLAT"
CODE	05158
TINT BASES	WHITE
PAIL	●

CONCRETE, STUCCO, BLOCK WALL PRIMERS & SEALERS



FORMWORX

Latex Block Filler

A heavy bodied, interior / exterior, latex undercoat designed to fill voids and smooth irregularities on new concrete block and other masonry surfaces where industry approvals are required. Helps reduce the porosity and seal masonry surfaces prior to painting. May be tinted with up to 4 ounces of universal colorant.

** Interior / Exterior*

GLOSS LEVEL	1 "FLAT"
CODE	05700
TINT BASES	WHITE
GALLON	●
PAIL	●
MPI	4



Master Painter

Int/Ext Latex Block Filler

A professional quality, heavy bodied interior / exterior, latex undercoat designed to fill voids and smooth irregularities on new concrete block and other masonry surfaces. Helps reduce the porosity and seal masonry surfaces prior to painting.

** Interior / Exterior*

GLOSS LEVEL	"FLAT"
CODE	05740
TINT BASES	WHITE
PAIL	●



FORMWORX

Concrete Conditioner

A 100% acrylic, interior / exterior penetrating sealer designed to stabilize and promote adhesion to new concrete, masonry and stucco surfaces. This product has excellent alkali resistance, will reduce the occurrence of efflorescence and will promote adhesion to mild surface chalk or concrete dust.

** Interior / Exterior*

GLOSS LEVEL	0 "SEALER"
CODE	05122
TINT BASES	SEALER
GALLON	●
PAIL	●

STAIN BLOCKING PRIMERS



100% Acrylic Latex Stain Block

A premium quality interior / exterior acrylic latex stain blocking primer / undercoat for use on new or previously painted surfaces. This product provides excellent adhesion to moderately chalky surfaces and properly prepared galvanized surfaces.

* Interior / Exterior

GLOSS LEVEL	1 "FLAT"
CODE	05130
TINT BASES	WHITE
GALLON	●
QUART	●
PAIL	●
MPI	3, 6, 39, 134, 137



Alkyd Stain Block

A premium quality interior / exterior VOC compliant alkyd primer for use on new or previously painted surfaces. This product is formulated to prevent tannin bleed, and to cover other mild household stains like water, smoke and nicotine damage.

* Interior / Exterior

GLOSS LEVEL	1 "FLAT"
CODE	15130
TINT BASES	WHITE DEEP
GALLON	●
QUART	●
PAIL	●
MPI	5, 46, 136



Alkyd Stain Blocking Shellac

A premium quality, interior synthetic shellac primer / sealer for use on new or previously painted surfaces. This product is formulated to prevent tannin bleed and to cover the most severe household stains like water, smoke and fire damage

GLOSS LEVEL	1 "FLAT"
CODE	15150
TINT BASES	WHITE
GALLON	●
PAIL	●



Alkyd Stain-Blocking Speed Primer

A fast drying, interior / exterior solvent-based bonding and stain blocking primer for use on new or previously painted surfaces where speed of re-coating and early sanding times are important. This product has excellent solvent resistance and performs well as a barrier primer to allow conventional coatings to be top coated with products containing stronger solvents

* Interior / Exterior

GLOSS LEVEL	1 "FLAT"
CODE	15910
TINT BASES	WHITE
GALLON	●
PAIL	●
MPI	69



SPECIALTY PRIMERS & SEALERS



Acrylic Rustex (PROFESSIONAL USE ONLY)

A premium quality interior / exterior water-borne anti-corrosive primer for application to properly prepared ferrous and non-ferrous metals. This product has good corrosion resistance, re-coat tolerance, and adhesion to a wide variety of substrates.

* Interior / Exterior

GLOSS LEVEL	1 "FLAT"
CODE	7032 - Series
TINT BASES	WHITE GREY
GALLON	●
PAIL	●
MPI	107, 134



Acrylic Speed Bonding Primer

An interior/exterior water-borne Acrylic Speed Primer with excellent adhesion and lower odour than other quick drying primers for hard, non porous surfaces. This product features high hiding properties and is ideal where drastic colour change is required.

* Interior / Exterior

GLOSS LEVEL	1 "FLAT"
CODE	05910
TINT BASES	WHITE
GALLON	●
QUART	●
PAIL	●
MPI	17



Vapor Block

A low-permeable interior latex primer / sealer designed for use on new or previously painted drywall perimeter walls and ceilings. One coat applied at 220 square feet per gallon will provide a PERM rating of less than 1.0 per ASTM D 1653 and ASTM E96.

GLOSS LEVEL	1 "FLAT"
CODE	507901
TINT BASES	WHITE
PAIL	●
MPI	61



Corroseal Rust Converting Primer

A water-based rust converter and high quality latex metal primer for rusted surfaces. This product turns rust into a barrier of non-rusting magnetite and acts as a bonding agent for a variety of intermediate and finish coatings

GLOSS LEVEL	"PRIMER"
CODE	823 - Series
BASE	WHITE
GALLON	●
QUART	●
PAIL	●

INTUMESCENT / FIRE RETARDANT COATINGS



SafeCoat® TBI

A single component latex intumescent fire-retardant coating for exposed interior spray polyurethane foam (SPF). This product limits thermal penetration by expanding to many times the original dry film thickness when exposed to heat. This expanded material forms a char which insulates the substrate against heat and reduces available oxygen to the surface.

GLOSS LEVEL **1 "FLAT"**

CODE SCTBIWH05

COLOR WHITE

PAIL ●

CODE SCTBIBL05

COLOR BLACK

PAIL ●



SafeCoat® LATEX

A single component latex intumescent fire-retardant coating for interior combustible surfaces where Flame Spread Ratings of 25 or less (Class A or Class 1) and low Smoke Developed Ratings are required. This product limits thermal penetration by expanding to many times the original dry film thickness when exposed to heat. This expanded material forms a char which insulates the substrate against heat and reduces available oxygen to the surface.

GLOSS LEVEL **1 "FLAT"**

CODE FR60001

COLOR WHITE

GALLON ●

GLOSS LEVEL **1 "FLAT"**

CODE FR60005

COLOR WHITE

PAIL ●



EXTERIOR FINISHES



GUARDIAN®

An ultra-premium 100% acrylic latex exterior finish designed to deliver the highest level of protection. This product features superior adhesion, flexibility and weathering. Fortified with X-Link Technology, this product also has exceptional early water resistance and low temperature capabilities.

	"FLAT"	"SATIN"	"SEMI-GLOSS"
GLOSS LEVEL	1	3	5
CODE	0260-Series	0270-Series	0280-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
QUART	●	●	●
GALLON	●	●	●
PAIL	●	●	●
MPI	10	15	11



WEATHERONE®

A premium 100% acrylic latex finish with excellent hiding and durability for use on stucco, masonry, primed wood, exterior metal and galvanized surfaces. This product is an ideal choice for aluminum and weathered vinyl siding.

	"FLAT"	"SATIN"	"SEMI-GLOSS"
GLOSS LEVEL	1	3	5
CODE	0220-Series	0201-Series	0212-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL BLACK (#2007)	WHITE DEEP NEUTRAL
GALLON	●	●	●
PAIL	●	●	●
MPI	10	15	11, 54



RANCH RENEW

A 100% acrylic latex coating that offers excellent hide, adhesion, weathering properties and colour resistance. This product is pre-mixed to traditional barn colours, making it a good choice for new or existing barns, fences, sheds and outbuildings.

***Booking Only

	"FLAT"	"SEMI-GLOSS"	"GLOSS"	"GLOSS"
GLOSS LEVEL	1	5	6	6
CODE	39013	39023	39001	39002
COLOURS	WHITE	WHITE	BRILLIANT RED	RANCH RED
GALLON	●	●	●	●
PAIL	●	●	●	●

EXTERIOR STAINS



SharkSkin®

Solid Hide Deck & Siding Stain

An exterior 100% acrylic hybrid waterborne solid stain that provides superior adhesion, durability and resistance to cracking, peeling and blistering. This product offers ultimate protection for all horizontal and vertical wood surfaces.

GLOSS LEVEL	2 "VELVET"
CODE	724 - Series
TINT BASES	WHITE DEEP NEUTRAL
GALLON	●
PAIL	●



SharkSkin®

Elastomeric Primer/Sealer

A flexible acrylic elastomeric transparent primer / sealer designed to stabilize surfaces and increase the adhesion of film forming topcoats. This product will penetrate and seal porous surfaces as well as lock down deteriorating surfaces to extend the service life and performance of the topcoat.

GLOSS LEVEL	1 "FLAT"
CODE	05150
COLOUR	WHITE
GALLON	●



SharkSkin®

Translucent Deck & Siding Wood Stain

A deep penetrating exterior oil/alkyd hybrid translucent stain that allows the natural beauty of the wood's grain and texture to show through. This product is formulated with transparent iron oxide pigments and mildewcides for maximum longevity and performance.

GLOSS LEVEL	PENETRATING
CODE	725 - Series
FACTORY COLOURS	72500 - CEDAR 72511 - HONEY MAPLE 72512 - TEAK 72513 - ARBUTUS 72515 - IRONWOOD 72516 - WEATHERED FIR
GALLON	●
MPI	13, 33



WEATHERONE®

Solid Hide Acrylic Stain

A high quality exterior 100% acrylic solid stain. This product is ideal for all vertical wood surfaces.

GLOSS LEVEL	1 "FLAT"
CODE	7230 - Series
TINT BASES	WHITE DEEP NEUTRAL
GALLON	●
PAIL	●
MPI	16



WEATHERONE®

Semi-transparent Acrylic Stain

A premium quality, 100% acrylic, semi-transparent wood stain that provides a long lasting decorative finish by allowing the natural wood grain to show through. This product is a fast drying, low sheen, abrasion resistant product that provides excellent penetration into the wood surface.

GLOSS LEVEL	PENETRATING
CODE	0668 - Series
TINT BASES	CLEAR
GALLON	●
PAIL	●
MPI	156

CONCRETE FINISHES



TOWERTHON®

A high solids, internally plasticised, elastomeric coating for use on masonry, concrete, prepared vinyl and aluminum siding, properly primed metal and primed wood. This product has excellent elongation and recovery properties, allowing it to expand and contract with the building and bridge cracks up to 1/16 inch.

"FLAT"	
GLOSS LEVEL	1
CODE	2015-Series
TINT BASES	WHITE DEEP NEUTRAL
GALLON	●
PAIL	●
MPI	40, 113



FLEX-HIDE®

A hybrid product featuring the excellent flexibility, build and bridging properties of an elastomeric with the easy working properties of a standard acrylic latex. This product has excellent alkali resistance for application to new concrete and can penetrate and fill "bug holes" and small cracks in tilt-up concrete.

"FLAT"	
GLOSS LEVEL	1
CODE	2019-Series
TINT BASES	WHITE DEEP NEUTRAL
PAIL	●
MPI	52



PORCH & FLOOR

A premium interior / exterior 100% acrylic latex floor finish suited for household or light industrial use. This product is ideal for use on steps, basement and utility room floors, concrete patios and porches.

3 "PEARL"	
GLOSS LEVEL	3 "PEARL"
CODE	0250-Series
TINT BASES	WHITE LIGHT GREY DEEP NEUTRAL
GALLON	●
MPI	60



PROFESSIONAL FINISHES

1K Acrylic Floor Coating

A 100% acrylic interior / exterior waterborne coating designed for use on masonry, concrete and asphalt surfaces. This single component product is low VOC and low odour and is suitable for commercial and DIY applications. It is non-skid and resistant to mild chemicals, gasoline, motor oil, and does not lift when in contact with hot automotive tires

3 "PEARL"	
GLOSS LEVEL	3 "PEARL"
CODE	7786-Series
TINT BASES	WHITE DEEP NEUTRAL
GALLON	●
MPI	60

CONCRETE SEALERS



AQUASEAL

AquaSeal Clear Acrylic Water Repellent

A premium quality, interior / exterior all-purpose sealer for use on a variety of masonry surfaces. This product forms a weather resistant moisture barrier protecting concrete and masonry surfaces from damage caused by efflorescence, spalling, de-icing salts, freeze-thaw cycles and general degradation caused by water infiltration.

** Interior Exterior*

	"SATIN"
GLOSS LEVEL	2
CODE	43700
TINT BASES	NEUTRAL
GALLON	●
PAIL	●
MPI	99



CONCRETE GLAZE

Seal-N-Shine Concrete Glaze

A solvent based interior / exterior acrylic penetrating sealer for concrete, brick, exposed aggregate, tile, terrazzo, mortar and masonry block. This product is very clear, non-yellowing, non-lifting and gives the coated substrate a "wet look".

** Interior Exterior*

	"GLOSS"
GLOSS LEVEL	6
CODE	45110
TINT BASES	GLOSS
GALLON	●
PAIL	●
MPI	34, 104



FORMWORX

Concrete Stain

A premium grade, exterior water-repellent penetrating stain formulated to protect concrete surfaces while providing a uniform decorative appearance. This product is self sealing and breathable which minimizes the potential for peeling and flaking and resists alkalinity and efflorescence. It is recommended for vertical substrates such as tilt-up concrete, brick, stucco, and masonry. May be applied in a single coat to achieve a semi-transparent finish, or in two coats for an opaquer finish.

GLOSS LEVEL	2 "SATIN"
CODE	55503
TINT BASES	WHITE DEEP NEUTRAL
PAIL	●
MPI	58



INTERIOR VARNISHES & CLEAR COATS



TIMBERLOX® Interior Waterborne Alkyd Varnish

A general purpose interior varnish featuring good hardness, adhesion, and durability. This product is non-flammable and resistant to hot and cold water, household chemicals and alcohol. Environmentally friendly, with very low odour levels, this product cleans up with soap and water.

	"LOW LUSTRE"	"SATIN"	"SEMI-GLOSS"	"GLOSS"
GLOSS LEVEL	1	2	5	6
CODE	59304	59314	59334	59324
BASE	CLEAR	CLEAR	CLEAR	CLEAR
GALLON	●	●	●	●
QUART		●	●	●
MPI		1028	129	130



TIMBERLOX® Interior Waterborne Wood Finish

A clear urethane modified finish for use on new or previously stained interior wood. This product features excellent toughness and adhesion combined with good resistance to filtered sunlight to provide a high degree of protection to interior wood surfaces.

	"SATIN"
GLOSS LEVEL	2
CODE	56614
BASE	CLEAR
GALLON	●
QUART	●
PAIL	●



TIMBERLOX® Interior Waterborne Polycarbonate Varnish

A non-yellowing interior polycarbonate varnish with excellent abrasion and chemical resistance in a low odour, crystal clear finish. Provides excellent adhesion and UV protection to wood and engineered wood surfaces. This product is nonflammable and resistant to hot and cold water, household chemicals and alcohol.

	"SATIN"
GLOSS LEVEL	3
CODE	47014
BASE	CLEAR
GALLON	●
QUART	●

EXTERIOR VARNISHES & CLEAR COATS



TIMBERLOX[®]

Exterior Marine Super Spar Varnish

A transparent high gloss varnish specially formulated for use in harsh marine and exterior environments. It contains an ultra-violet light absorber for extended life. It is ideally suited for use on wood surfaces such as doors, trim, boat railings, exterior furniture, spars and boat decks.

"HIGH-GLOSS"

GLOSS LEVEL	7
CODE	43174
BASE	CLEAR
GALLON	●
QUART	●
MPI	28



SUNFAST

Exterior Waterborne Wood Finish

Rich exterior water-borne 100% acrylic cedar tone wood finish that provide outstanding UV protection. Ideal for doors, railings, exterior wood furniture, soffits, siding, log homes, trim, and fences.

"SATIN"

GLOSS LEVEL	2
CODE	56615
BASE	SATIN CEDAR TONE
GALLON	●
PAIL	●



SUNFAST

Exterior Alkyd Wood Finish

Rich exterior VOC-compliant urethane-fortified wood finish that provide outstanding UV protection. Ideal for surfaces such as doors, railings, exterior wood furniture, soffits, siding, log homes, trim, and fences.

"LOW GLOSS"

GLOSS LEVEL	4
CODE	43606
BASE	SATIN AMBER
GALLON	●
PAIL	●
MPI	33



ZONE & LINE MARKING



Zone Marking Paint

A quick dry, waterborne, highly pigmented acrylic emulsion designed for permanent line marking of concrete and asphalt. This coating delivers a highly visible, non-tracking line suitable for use with airless spray systems.

"FLAT"

GLOSS LEVEL	1
CODE	6235 - Series
FACTORY COLOURS	62352 WHITE 62353 YELLOW
GALLON	●
PAIL	●



Latex Field Marking Paint

A highly reflective line paint for line striping use on natural grass and synthetic playing fields. This product is easy to apply and has opacity properties to provide solid line striping. It is non-toxic and will not permanently damage natural turf.

"FLAT"

GLOSS LEVEL	1
CODE	70210
TINT BASES	OFF WHITE BASE
PAIL	●

COMMERCIAL REDUCERS & THINNERS



CODE	78001	78003	78007	78011
PRODUCT	MINERAL SPIRITS	BUTYL CELLOSOLVE	PETROLEUM NAPHTHA	XYLENE
QUART	●	●		●
GALLON	●	●	●	●
PAIL	●	●	●	●

CODE	78013	78017	78019	78043
PRODUCT	TOLUENE	LACQUER THINNER	PREMIUM LACQUER THINNER	M.E.K.
QUART		●		
GALLON	●	●	●	●
PAIL	●	●	●	●

UNIVERSAL COLOURANTS



Zero VOC Universal Colourants

- Created from raw materials from renewable resources.
- **Machine Compatibility** – It can be used with any Automatic or Manual Tint Machine
- **Lower Downtimes** – SmartTint® technology reduces machine maintenance
- **Unparalleled Compatibility** – can be used with both water and solvent based paints
- **Health and Safety** – These colourants are Zero VOC, Alkylphenol Ethoxylate (APE) free and free of formaldehyde and formaldehyde donors
- Minimized viscosity drop post tinting
- Unmatched freeze thaw stability and tip dryout resistance

COLOURANT	SIZE	CODE
AXN - Organic Yellow	1L	50001018
B - Lamp Black	1L	50002018
B - Lamp Black	4L	50002024
CX - Yellow Oxide	1L	50003518
CX - Yellow Oxide	4L	50003524
D - Phthalo Green	1L	50004018
E - Phthalo Blue	1L	50005018
F - Red Oxide	1L	50006018
I - Brown Oxide	1L	50007018
KX - Titanium White	1L	50008018
KX - Titanium White	4L	50008024
L - Raw Umber	1L	50009018
L - Raw Umber	4L	50009024
S - Organic Red	1L	50010018
T - Medium Organic Yellow	1L	50011518
M - Magenta	1L	50012018

Ask your Cloverdale Paint Representative about our new product developments and our extensive line of lacquers.

Our Paint Finishes and their recommended applications

Our Paints and Varnishes are available in a range of industry-standard Gloss Levels, from GL1 "Flat" through GL6 "Gloss". It's important to recognize that the names given to the various gloss levels are subjective and vary from Company to Company, and do not reflect an industry standard, whereas the actual gloss ranges of GL1 through GL6 follow the general ranges set out by the Master Painter's Institute.

GLOSS LEVEL 1 "FLAT"

(up to 5 units at 60°)

USES: WALLS, CEILINGS

- Most exquisite designer finish
- Non-reflective for walls and ceilings
- Lower traffic areas
- Burnishes more easily
- Masks surface irregularities



GLOSS LEVEL 2 "EGGSHELL"

(5-10 units at 60°)

USES: WALLS, CEILINGS

- Most widely specified wall finish
- Provides depth of colour to any living area
- Low sheen when viewed from any angle



GLOSS LEVEL 3 "PEARL"

(10-20 units at 60°)

USES: WALLS, TRIM, DOORS, CABINETS

- An Ideal option between an Eggshell and glossier finishes
- Complements flat walls when used on trim, doors in same space
- Higher degree of burnish resistance and scuffability
- Ideal for kid's rooms and laundry rooms



GLOSS LEVEL 4 "LOW GLOSS"

(20-35 units at 60°)

USES: TRIM, DOORS, CABINETS

- Higher-traffic surfaces and areas with moisture such as kitchens and bathrooms
- Highly washable
- Good light reflectance
- Good scuff resistance



GLOSS LEVEL 5 "SEMI-GLOSS"

(40-60 units at 60°)

USES: TRIM, DOORS, CABINETS

- Higher-traffic surfaces and areas with moisture such as kitchens and bathrooms
- Highly washable
- Good light reflectance
- Good scuff resistance



GLOSS LEVEL 6 "GLOSS"

(75 or greater units at 60°)

(10-20 units at 60°)

USES: TRIM, DOORS, MOULDINGS, FURNITURE, FLOORS

- Highly reflective
- High traffic areas and surfaces
- Most dramatic look on walls
- Can highlight surface irregularities • Highly washable





 Proudly Canadian Owned & Operated

Cloverdale Paint Inc.
400 - 2630 Croydon Drive
Surrey, British Columbia, Canada V3Z 6T3
Tel: 604.596.6261
www.cloverdalepaint.com